



LTS Research Laboratories, Inc.  
Safety Data Sheet  
Lithium Phosphorus Sulfide

---

1. Product and Company Identification

---

Trade Name: Lithium Phosphorus Sulfide  
Chemical Formula:  $\text{Li}_3\text{PS}_4$   
Recommended Use: Scientific research and development

Manufacturer/Supplier: LTS Research Laboratories, Inc.  
Street: 37 Ramland Road  
City: Orangeburg  
State: New York  
Zip Code: 10962  
Country: USA  
Tel #: 855-587-2436 / 855-lts-chem


24-Hour Emergency Contact: 800-424-9300 (US & Canada)  
+1-703-527-3887 (International)

---

2. Hazards Identification

---

Signal Word: Danger



Hazard Statements: H228: Flammable solid  
H261: In contact with water, releases flammable gas  
H301: Toxic if swallowed  
H302+H332: Harmful if swallowed or inhaled  
H315: Causes skin irritation  
H318: Causes serious eye damage  
H335: May cause respiratory irritation

Precautionary Statements: H410: Very toxic to aquatic life with long lasting effects  
P210 Keep away from heat/sparks/flame. No smoking.  
P231+P232 Handle under inert gas  
P240: Ground/bond container and receiving equipment  
P241: Use explosion-proof electrical/ventilating/light/.../equipment  
P261: Avoid breathing dust/fume/gas/mist/vapours/spray  
P264: Wash ... thoroughly after handling  
P270: Do not eat, drink or smoke when using this product  
P271: Use only outdoors or in a well-ventilated area  
P273: Avoid release to the environment  
P280: Wear protective gloves/protective clothing/eye protection/face protection  
P370+P378: In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction  
P391: Collect spillage  
P405: Store locked up  
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health:	3
Flammability:	2
Physical:	2

---

3. Composition

---

Chemical Family:	Ceramic
Additional Names:	Lithium Sulfide Phosphorus Sulfide

Lithium Sulfide (Li <sub>2</sub> S):	
Percentage:	75 mol%
CAS #:	12136-58-2
EC #:	235-228-1

Phosphorus Sulfide (P <sub>2</sub> S <sub>5</sub> ):	
Percentage:	25 wt%
CAS #:	1314-80-3
EC #:	215-242-4

---

4. First Aid Procedures

---

General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None

Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Do NOT induce vomiting. Rinse mouth with water. Never induce vomiting or give anything by mouth to an unconscious person. Consult a physician.

Skin:	Wash affected area with mild soap and water. Remove any contaminated clothing.
-------	--

Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
-------	---

---

5. Firefighting Measures

---

Flammability:	Flammable Reacts violently with water
---------------	--

Extinguishing Media:	Do not use water for metal fires – use CO <sub>2</sub> , sand, extinguishing powder.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.

---

6. Accidental Release Measures

---

If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
----------------------------------	--

Environmental Precautions:	Isolate runoff to prevent environmental pollution.
----------------------------	--

---

## 7. Handling and Storage

---

Handling Conditions:	Handle under dry protective gas. Wash thoroughly after handling. Avoid formations of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken inconsideration before additional processing occurs. Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition – No smoking. Take measures to prevent the build up of electrostatic charge.
Storage Conditions:	Store in a cool, dry place in a tightly sealed container. Store under dry inert gas. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

---

## 8. Exposure Controls and Personal Protection

---

Permissible Exposure Limits:	1 mg/m <sup>3</sup> as P <sub>2</sub> S <sub>5</sub> , long-term value
Threshold Limit Value:	N/A
Special Equipment:	None
Respiratory Protection:	Dust Respirator
Protective Gloves:	Nitrile rubber, NBR 0.11mm thick.
Penetration time of glove material:	480 minutes
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

---

## 9. Physical and Chemical Characteristics

---

Color	N/A
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Rotten eggs
Water Solubility:	Reacts violently
Boiling Point:	N/A
Melting Point:	N/A
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	N/A
Molecular weight:	180.05 g/mol

---

## 10. Reactivity

---

Stability:	Stable under recommended storage conditions
Reacts with:	Reactions are violent with Water, Acids
Incompatible Conditions/Materials:	Acids, Water/Moisture, Heat, Sparks, Flames
Hazardous Decomposition Products:	Hydrogen sulfide, Lithium oxide, Sulfur oxide, Toxic metal fumes

---

## 11. Toxicological Information

---

### Potential Health Effects:

Eyes:	Causes serious eye irritation
Skin:	causes skin irritation
Ingestion:	Toxic
Inhalation:	May cause irritation
Chronic:	N/A

### Signs & Symptoms:

N/A

### Aggravated Medical Conditions:

N/A

### Median Lethal Dose:

240 mg/kg to rat (Oral)  
3160 mg/kg to rabbit (Dermal)

### Carcinogen:

N/A

### Additional Information:

Cough, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed., Hydrogen sulfide is strongly bound to methemoglobin in a manner similar to cyanide. Toxicologically, its reaction with enzymes in the blood stream inhibits cell respiration resulting in pulmonary paralysis, sudden collapse, and death. It is recognized by its characteristic odor of "rotten eggs". The detectable, minimum perceptible odor occurs at 0.13ppm, rapid olfactory fatigue can occur at high concentrations (>100 ppm). At concentrations of 20ppm hydrogen sulfide begins acting as an irritant on the mucous membranes of the eyes and respiratory tract and increases with concentration and exposure time. Eye irritation is characterized by irritation of the conjunctiva with photophobia to keratoconjunctivitis and vesiculation of the cornea epithelium. Prolonged exposure to moderate concentrations (250ppm) may cause pulmonary edema. At concentrations over 500ppm, drowsiness, dizziness, excitement, headache, unstable gait, and other systemic symptoms occur within a few minutes. Sudden loss of consciousness without premonition, anxiety, or sense of struggle are characteristic of acute exposure at concentrations above 700ppm. At concentrations of 1000-2000ppm hydrogen sulfide is rapidly absorbed through the lung into the blood. In this range a single inhalation may cause coma and may be rapidly fatal. Initially hyperpnea occurs, followed by rapid collapse and respiratory inhibition. At higher concentrations, hydrogen sulfide exerts an immediate paralyzing effect on the respiratory enters. When concentration reaches 5000 ppm, imminent death almost always results

---

## 12. Ecological Information

---

### Aquatic Toxicity:

High

### Persistent Bioaccumulation Toxicity:

N/A

### Very Persistent, Very Bioaccumulative:

N/A

### Notes:

Toxic to aquatic life.  
May cause long lasting harmful effect on aquatic life.  
Do not allow material to be released to the environment without proper governmental permits.  
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
Avoid transfer into the environment.  
Do not allow product to reach any water sources.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.

---

### 13. Disposal Considerations

---

Dispose of in accordance with local, state, national, and international regulations.

---

### 14. Transportation Data

---

Hazardous:

Hazardous for transportation.



Hazard Class:  
Secondary Class  
Packing Group:  
UN Number:  
Proper Shipping Name:

4.3 Substances which in contact with water release flammable gases  
6.1 Toxic substances  
II  
UN3134  
Water-reactive solid, n.o.s. (Lithium phosphorus sulfide)

---

### 15. Regulatory Information

---

Sec 302 Extremely Hazardous: N/A  
Sec 304 Reportable Quantities: N/A  
Sec 313 Toxic Chemicals: N/A

---

### 16. Other Information

---

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 06/29/2017